

試乗スキー No	ブランド	商品名	サイズ	1	5	1	5	1	5	1	5	1	5	データの個数 / 欲しい	データの個 数 / アン ケート記入 人数
				スムーズ	シャープ	マイルド	強い	しなやか	しっかり	軽快	どっしり	普通	カッコイイ		
4FR - 1	4FRNT	VANDAL	179		2.33		3.00		3.00		3.00		4.67	1	3
4FR - 2	4FRNT	ORIGINATOR	181		2.33		2.33		2.00		2.67		3.00		3
4FR - 3	4FRNT	MSP	181		2.83		3.17		3.20		3.60		3.00	1	6
4FR - 4	4FRNT	SWITCHBLADE	171		2.50		2.50		3.00		3.00		3.00	1	2
ARM - 1	ARMADA	ARV 116 JJ	175		3.14		3.14		3.29		3.14		3.86	4	7
ARM - 2	ARMADA	TRACE 98	164		3.00		3.00		2.60		2.50		2.25	2	5
ARM - 3	ARMADA	TRACE 88	162		3.50		2.50		2.67		2.17		3.33	1	6
ATO - 1	ATOMIC	REDSTER G9 FIS W /X16 VAR	188		4.00		4.55		3.64		3.64		3.91	7	11
ATO - 2	ATOMIC	REDSTER S9 /X 12 TL	165		3.94		4.22		4.17		3.61		3.94	9	18
ATO - 3	ATOMIC	REDSTER G9I /X12TL RS	171		3.63		4.11		3.42		3.05		3.63	11	19
ATO - 4	ATOMIC	REDSTER S9I /X12TL RS	165		3.37		3.44		3.56		2.85		3.69	14	27
ATO - 5	ATOMIC	REDSTER S8I /X12TL	160		3.14		3.67		3.46		2.53		3.14	8	15
ATO - 6	ATOMIC	REDSTER S8I /X12TL	165		3.57		3.43		2.90		2.71		3.81	11	21
ATO - 7	ATOMIC	VANTAGE 95 C	178		2.40		2.60		2.60		2.80		3.20	1	5
ATO - 8	ATOMIC	PUNX SEVEN	176		3.00		3.38		3.75		2.75		3.13	4	8
ATO - 9	ATOMIC	PUNX FIVE	170		3.00		2.56		2.67		2.44		2.89	2	9
BLA - 1	BLASTRACK	IMPROVE	164		3.08		2.75		2.50		2.36		3.75	9	12
BLA - 2	BLASTRACK	FARTHER	169		3.22		3.11		3.22		3.11		4.00	5	9
DYN - 1	DYNASTAR	SPEED ZONE 12TI /NX12K	174		3.00		3.00		4.00		3.00		4.00	1	1
DYN - 2	DYNASTAR	SPEED ZONE 10TI /NX12K	167		3.00		3.30		3.50		3.00		3.30	3	10
ELA - 1	ELAN	GSX FUSION	175		4.00		5.00		5.00		5.00		4.00	1	1
ELA - 2	ELAN	SLX FUSION	155		3.13		3.43		3.29		3.29		3.29	4	8
ELA - 3	ELAN	SL FUSION	165		3.14		3.29		3.00		2.57		3.14	4	7
ELA - 4	ELAN	AMPHIBIO 14 TI	166		3.33		3.67		3.33		3.11		3.00	3	9
ELA - 5	ELAN	AMPHIBIO 12 TI	160		3.40		3.40		2.40		2.60		3.60	2	5
ELA - 6	ELAN	RIPSTICK 96	174		2.63		3.63		3.00		2.63		3.38	4	8
ELA - 8	ELAN	GSX WC PLATE	188		5.00		5.00		5.00		4.00		3.00	1	1
ELA - 9	ELAN	GSX WC X PLATE	191		4.50		1.50		4.50		4.00		4.00		2
ELA - 10	ELAN	SLX WC PLATE	165		5.00		4.50		4.50		4.00		4.50	3	4
ELA - 11	ELAN	GSX FUSION	180		3.50		3.50		5.00		4.00		3.50	1	2
FAC - 1	FACTION	CT 1.0	170		2.89		2.67		3.22		3.22		3.78	3	9
FAC - 2	FACTION	CT 2.0	178		3.25		3.67		2.75		3.00		2.75	3	4
FAC - 3	FACTION	CT 3.0	182		1.50		3.00		3.00		1.50		4.00	2	2
FAC - 4	FACTION	CT 4.0	182		3.00		3.00		3.00		3.00		3.00		1
FAC - 5	FACTION	PRODIGY 1.0	172		3.00		3.00		3.50		2.50		2.00		2
FAC - 6	FACTION	PRODIGY 2.0	178		1.50		1.50		1.50		1.00		2.50	1	2
FAC - 8	FACTION	PRODIGY 4.0	186		3.00		2.00		2.00		2.00		4.00	1	1

試乗スキー No	ブランド	商品名	サイズ	1	5	1	5	1	5	1	5	1	5	データの個数 / 欲しい	データの個 数 / アン ケート記入
				スムーズ	シャープ	マイルド	強い	しなやか	しっかり	軽快	どっしり	普通	カッコイイ		
				ターン導入		グリップ感		フレックス		乗り味		デザイン			
FIS - 1	FISCHER	RC4 WC GS MEN	188		4.00		3.00		4.00		5.00		3.50		2
FIS - 2	FISCHER	RC4 WC SL MEN	165		3.45		3.45		3.40		3.00		3.20	5	11
FIS - 3	FISCHER	RC4 WC GS JR CB	160		3.60		3.60		4.50		3.50		2.25	2	5
FIS - 4	FISCHER	RC4 THE CURV CB	164		4.00		4.00		3.70		3.60		3.70	4	10
FIS - 5	FISCHER	RC4 THE CURV GT	168		3.71		3.43		3.14		3.71		3.57	1	7
FIS - 6	FISCHER	RC4 CURV DTX	164		2.75		3.83		3.50		2.83		3.08	7	12
FIS - 7	FISCHER	MY CURV	157		3.29		3.29		2.83		2.57		3.29	2	7
FIS - 8	FISCHER	PROGRESSOR F19 TI	163		2.73		3.27		3.09		3.55		3.27	3	11
FIS - 9	FISCHER	PROGRESSOR F18	160		3.22		3.00		3.56		3.67		3.78	3	10
FIS - 10	FISCHER	PRO MTN 86 TI	175		3.50		3.50		4.25		4.25		2.75		4
FIS - 11	FISCHER	PRO MTN 80 TI	166		3.43		3.43		3.57		3.86		3.00	4	7
FIS - 12	FISCHER	RANGER 98 TI	180		1.00		5.00				5.00				1
FIS - 13	FISCHER	RANGER 90 TI	172		2.00		1.00		1.00		1.00		3.00	1	1
HEA - 1	HEAD	WC REBELS I GS RD RP R30 /EVO16X	193		3.00		3.33		3.67		3.83		2.67	2	6
HEA - 2	HEAD	WC REBELS I GS RD RP R25 /EVO16X	186		4.25		4.25		4.00		3.75		3.50	3	4
HEA - 3	HEAD	WC REBELS I SL RD RP /EVO16	165		3.57		4.57		4.14		4.43		3.57	3	7
HEA - 4	HEAD	WC REBELS I SL RP /EVO14	165		3.00		3.00		3.00		3.00		2.00		1
HEA - 5	HEAD	WC REBELS I RACE RP /EVO14	170		3.80		3.60		4.00		4.00		3.60	1	5
HEA - 6	HEAD	I SUPERSHAPE MAGNUM PR PRO	163		3.61		3.33		3.30		3.21		3.29	9	24
HEA - 7	HEAD	I SUPERSHAPE SPEED PR PRO	170		3.18		3.38		3.25		3.18		3.59	11	17
HEA - 8	HEAD	INSTINCT SUPERLITE SLR	163		3.20		3.07		2.60		2.60		2.93	4	15
HEA - 9	HEAD	SUPREME INSTINCT TI AB	163		3.10		3.10		2.90		2.70		3.50	5	10
HEA - 10	HEAD	SUPER JOY	153		2.11		2.33		2.11		1.44		3.00	1	9
ID - 1	ID ONE	FR-TM	170		2.50		2.50		2.50		2.50		4.50	2	2
ID - 2	ID ONE	FR-PCL	168		2.17		3.00		2.67		2.50		2.50	4	6
ID - 3	ID ONE	FR-XP	160		3.17		3.67		3.00		3.71		2.86	1	7
ID - 4	ID ONE	FR-XP	168		2.85		2.46		2.54		2.38		3.46	6	13
ID - 5	ID ONE	FR-XP	176		1.00		1.00		2.00		3.00		4.00	1	1
ID - 6	ID ONE	FR-MX	167		2.91		3.00		2.82		2.27		3.09	3	11
ID - 7	ID ONE	FR-X	167		2.43		3.29		2.71		2.29		3.14	3	7
ID - 8	ID ONE	MR-SG	172		4.00		4.00		4.00		4.00		3.00	1	1
ID - 9	ID ONE	MR-CE	172		3.00		4.00		4.00		3.00		4.00	1	1
ID - 10	ID ONE	MR-G	168		4.00		4.00		3.50		2.50		3.50	2	2
ID - 11	ID ONE	MR-G	173		3.00		3.00		3.00		3.00		3.00		1
ID - 12	ID ONE	MR-D	161		2.50		2.00		2.50		1.50		2.50	2	2
ID - 15	ID ONE	SR-NSX	152		2.71		2.71		2.86		3.00		2.29	3	7
ID - 16	ID ONE	SR-NSX	160		2.43		2.86		2.71		2.29		3.00	4	7
ID - 17	ID ONE	SR-NSX	168		2.78		2.44		2.22		2.00		3.44	5	9
ID - 18	ID ONE	SR-M	167		1.00		1.50		1.00		1.00		3.50	1	2
ID - 19	ID ONE	SR-X5	160		2.20		3.00		2.40		2.33		3.00	3	6
ID - 20	ID ONE	SR-X5	167		2.00		2.00		2.33		2.33		3.33	2	6

試乗スキー No	ブランド	商品名	サイズ	1	5	1	5	1	5	1	5	1	5	データの個数 / 欲しい	データの個 数 / アン ケート記入
				スムーズ	シャープ	マイルド	強い	しなやか	しっかり	軽快	どっしり	普通	カッコイイ		
				ターン導入		グリップ感		フレックス		乗り味		デザイン			
K2-1	K2	SUPERCHAGER	168	4.50	4.25	4.50	4.50	3.25	1	4					
K2-2	K2	TUBOCHARGER	158	3.50	4.00	3.71	3.29	3.43	6	8					
K2-3	K2	TUBOCHARGER	165	3.50	3.08	3.00	2.58	3.08	6	13					
K2-4	K2	IKONIC 84TI	170	3.50	3.00	3.25	4.00	3.25	3	4					
K2-5	K2	IKONIC 80TI	170	2.33	2.33	2.00	2.67	3.67	2	3					
K2-6	K2	IKONIC 84	170	2.80	3.00	2.80	3.20	3.40	4	5					
K2-7	K2	LUVMACHINE 74TI	160	2.40	2.40	3.00	2.80	4.20	1	5					
K2-8	K2	LUVSTRUCK 80	163	3.00	3.00	3.00	3.00	3.00		1					
LIB-1	LIBERTY	ORIGIN 90	172	2.20	2.80	2.60	3.80	3.40	3	5					
LIB-2	LIBERTY	ORIGIN 96	176	2.75	2.75	3.25	3.00	3.00	3	8					
LIB-3	LIBERTY	ORIGIN 106	176	2.40	12.80	2.80	3.20	4.20	4	5					
LIB-4	LIBERTY	ORIGIN 116	182	1.33	3.33	3.00	4.00	3.67	2	3					
LIB-5	LIBERTY	GENESIS 90	165	2.43	2.29	2.00	1.71	3.71	4	7					
LIB-6	LIBERTY	GENESIS 96	171	3.50	5.00	3.00	3.50	2.00	1	2					
LIB-7	LIBERTY	GENESIS 106	171	2.50	3.00	3.00	2.25	3.75	3	4					
LIB-8	LIBERTY	GENESIS 116	166	2.00	1.00	3.00	5.00	5.00		1					
LIB-9	LIBERTY	TRANSFER	175	3.33	2.67	2.00	2.67	3.00	1	3					
LIB-10	LIBERTY	ANTIGEN	175	3.00	3.00	3.00	3.00	3.00		1					
			175	3.00	2.50	2.50	3.50	2.50		2					
LIB-11	LIBERTY	GENOM	187	2.71	2.43	2.71	3.57	3.86	4	7					
LIN-1	LINE	BLEND	178	3.00	2.60	2.40	2.25	3.40	3	5					
LIN-2	LINE	CHRONIC	178	2.43	2.29	1.86	2.43	3.43	2	7					
LIN-3	LINE	TOMWALLISCH PRO	178	3.00	3.14	2.71	2.86	3.57	2	7					
LIN-4	LINE	SUPERNATURAL86	179	3.50	3.00	2.50	3.00	3.00	1	2					
MOM-1	MOMENT	DEATHWISH	178	2.80	3.00	3.67	2.67	3.50	2	6					
MOM-2	MOMENT	PB&J	172	2.33	3.33	3.67	3.00	3.00		3					
MOM-3	MOMENT	TAHOE	178	2.57	3.14	3.14	3.50	3.67	1	7					
MON-1	MOMENT	DEATHWISH	178	3.50	3.50	3.00	3.50	2.00	1	2					
MON-2	MOMENT	PB&J	172	1.00	1.00	1.00	4.00	3.00		1					
NOR-1	NORDICA	DOBERMANN GS WC DEPT PL /XC18	188	2.50	2.50	3.50	3.00	3.50		2					
NOR-2	NORDICA	DOBERMANN SL WC PL /XC18	165	4.73	4.64	4.82	4.36	3.82	4	11					

試乗スキー No	ブランド	商品名	サイズ	1	5	1	5	1	5	1	5	1	5	データの個数 / 欲しい	データの個 数 / アン ケート記入
				スムーズ	シャープ	マイルド	強い	しなやか	しっかり	軽快	どっしり	普通	カッコイイ		
OGA - 1	OGASAKA	KS-RX /FL585	165		3.00		3.24		3.82		3.53		3.18	8	17
OGA - 2	OGASAKA	KS-RX /FL585	170		3.31		3.69		3.77		3.46		3.23	9	13
OGA - 3	OGASAKA	KS-RX /FM600	165		3.47		3.93		3.93		3.80		3.53	9	15
OGA - 4	OGASAKA	KS-CX /PR11MBS	165		2.69		2.92		2.69		3.31		3.23	6	13
OGA - 5	OGASAKA	KS-TX /SLR10	160		2.40		2.10		1.70		1.50		2.80	2	10
OGA - 6	OGASAKA	KS-LS /FL585	165		3.18		3.45		3.36		3.00		3.00	6	11
OGA - 7	OGASAKA	KS-LS /FM600	165		3.29		3.71		4.29		4.14		2.57	3	7
OGA - 8	OGASAKA	KS-LD /PRD11	160		3.67		3.17		3.08		2.83		3.17	3	12
OGA - 9	OGASAKA	U-SS 2 /FDT TP10	165		2.69		2.41		2.47		2.53		3.12	4	18
OGA - 10	OGASAKA	TC-LC /GR585N	182		2.33		3.67		3.33		3.33		3.67	4	6
OGA - 11	OGASAKA	TC-MC /FL585	167		4.14		4.14		4.43		4.29		3.57	3	7
OGA - 12	OGASAKA	TC-MC /FL585	172		2.82		3.36		3.55		3.73		3.09	5	11
OGA - 13	OGASAKA	TC-SC /GR585N	165		3.29		4.29		3.86		4.00		3.57	5	7
OGA - 14	OGASAKA	TC-SC /FL585	160		2.89		3.22		3.56		3.89		3.33	6	9
OGA - 15	OGASAKA	TC-SC /FL585	165		3.79		3.95		4.00		3.68		3.37	10	19
OGA - 16	OGASAKA	TC-SC /FL585	165		3.60		3.95		3.95		3.15		3.55	10	20
OGA - 17	OGASAKA	GS-30 /GR585N	188		2.00		3.00		3.00		3.33		2.67	3	3
OGA - 18	OGASAKA	GS-M /GR585N	180		2.20		2.40		2.80		3.00		2.20	2	5
OGA - 19	OGASAKA	SL /GR585N	165		3.67		3.67		3.67		3.67		3.67	1	3
REI - 2	REISM	POLA BEAR	179		1.50		2.00		2.00		2.00		2.50		2
REI - 3	REISM	CAT	164		3.50		2.50		3.50		3.50		4.00		2
REI - 4	REISM	B-MP	166		1.00		1.00		1.00		1.00		1.00		1
ROS - 1	ROSSIGNOL	DEMO ALPHA R21 /SPX15RF	167		3.78		4.11		4.17		4.00		3.89	9	18
ROS - 2	ROSSIGNOL	DEMO ALPHA SOFT /SPX12K	167		3.38		3.77		3.85		3.69		3.77	4	13
ROS - 3	ROSSIGNOL	DEMO BETA /NX12K	166		3.33		3.38		3.31		3.43		3.50	10	15
ROS - 4	ROSSIGNOL	EXPERIENCE 84 HD /NX12K	170		3.33		3.67		3.33		4.00		3.83	2	6
ROS - 5	ROSSIGNOL	PURSUIT 600 CAM /SPX12K	170		3.33		3.56		2.89		3.25		3.56	3	9
ROS - 6	ROSSIGNOL	HERO FIS SL R21 R/SPX12RF	165		3.40		3.80		3.80		4.20		3.80	2	5
SAL - 1	SALOMON	X-RACE SW P69 /Z12 SPEED	165		3.44		3.50		3.88		3.88		3.69	9	16
SAL - 2	SALOMON	X-MAX X12 /XT12 TI	165		3.06		3.24		2.94		2.71		3.00	5	18
SAL - 3	SALOMON	X-MAX X10 /XT12	162		3.17		3.67		3.27		3.33		3.45	7	13
SAL - 4	SALOMON	W-MAX 10 /XT10W	148		2.60		2.60		2.80		2.00		2.80	4	5
SAL - 5	SALOMON	XDR 84 TI /WARDEN MNC 13	172		2.58		2.58		2.75		2.42		2.92	5	12
SAL - 6	SALOMON	X-RACE SC /XT12	165		3.35		3.78		3.45		2.78		3.59	10	23
SAL - 7	SALOMON	X-RACE SC /XT12	170		3.07		3.50		3.29		3.36		3.07	6	14
SAL - 8	SALOMON	X-MAX X12 /XT12 TI	170		3.11		3.22		3.44		3.11		2.89	4	9
SAL - 9	SALOMON	X-MAX X10 /XT12	169		2.82		3.36		3.18		3.27		3.09	3	11
SAL - 10	SALOMON	W-MAX 12 /XT10 TI W (1617モデル)	150		3.29		3.86		3.43		3.00		3.86	3	7
VOL - 1	VOLKL	PLATINUM SD SPEEDWALL	165		3.28		3.72		3.44		2.61		3.22	9	18
VOL - 2	VOLKL	PLATINUM SW SPEEDWALL	166		3.24		3.38		2.95		2.67		3.00	12	21
ZUM - 1	ZUMA	DOREY PRO PIPE /AT2 16	173		2.50		2.50		3.00		2.50		3.50		2
ZUM - 2	ZUMA	DOREY PRO GENE /AT2 13	173		4.50		2.50		2.00		1.00		4.00	1	2
ZUM - 6	ZUMA	REBEL /AT2 11	167		2.25		3.25		3.00		3.25		3.75	2	4
ZUM - 7	ZUMA	ZERO /AT2 14AT	172		3.00		2.50		2.50		2.00		2.00	1	2